	Application No.	Applicant(s)
Madian of Allowshills	10/772,133	CATABAY ET AL.
Notice of Allowability	Examiner	Art Unit
	Tuan H. Nguyen	2813
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apport or other appropriate communication GHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>Amendment dated 1/18/07</u> .		
2. The allowed claim(s) is/are 10-15,22,25-39 and 41-44.		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of		
Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		•
Attack manufa)		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	• •
	Paper No./Mail Dat	e
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. 🛛 Examiner's Amendr	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
	9. Other	
		•

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

- -To updated the U.S Patent Application No. in the specification, page 11, lines 10-11, after "Application No.", insert: -- 10/035,705 --, and delete: ", (Attorney Docket No. 01-473/LSI1P173)".
- -To provide a proper antecedent basis, and consistency in claim 10, next to last line, change: "one barrier layer" to -- two barrier layers --.
- -To correct an obvious typographical errors in claim 39, line 4, delete: "so that" (first occurrence).
- -This application is in condition for allowance except for the presence of claim 40 directed to an invention non-elected without traverse. Accordingly, claim 40 has been cancelled.

The following is an examiner's statement of reasons for allowance: None of the references of record teaches or suggests the claimed method for forming a copper interconnect including the steps of forming at least two barrier layers having different material composition on the insulating layer and in the opening wherein the second barrier layer consists of a material selected from the group: palladium, magnesium, and molybdenum; forming a copper seed layer on at least two barrier layers; implanting the seed layer with barrier material ions to form an implant seed layer; forming a bulk copper containing layer on the implanted seed layer and annealing the substrate; or forming an inter-layer barrier layer between the first and second copper seed layers for a subsequent steps of forming a bulk copper-containing layer and annealing the substrate.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tuan H. Nguyen whose telephone number is 571-272-1694. The examiner can normally be reached on 9AM-5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Whitehead Jr. can be reached on 571-272-1702. The fax phone

Application/Control Number: 10/772,133

Art Unit: 2813

number for the organization where this application or proceeding is assigned is 571-

Page 4

273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Man H. Nguyen
Primary Examiner
Art Unit 2813